From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 9/18/2019 10:08:01 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: EPA announcing public comment period for updated draft Underground Injection Control permits for the proposed Dewey-Burdock uranium recovery site near Edgemont, South Dakota
Attachments: EPA announcing public comment period for updated draft Underground Injection Control permits for the proposed Dewey-Burdock uranium recovery site near Edgemont, South Dakota

Your message did not reach some or all of the intended recipients.

Subject:EPA announcing public comment period for updated draft Underground Injection Control permits for the proposed Dewey-Burdock uranium recovery site near Edgemont, South Dakota
Sent:9/18/2019 10:08:04 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 9/18/2019 10:08:04 PM
Diagnostic code = MtsCongested; Reason code = TransferFailed; Status code = 540
< #5.4.310 smtp;550 5.4.310 DNS domain sbcglobal.ner does not exist [Message=InfoDomainNonexistent] [LastAttemptedServerName=sbcglobal.ner] [DM3GCC02FT009.eop-gcc02.prod.protection.outlook.com]>

Delivery has failed to these recipients or groups:

Ex. 6 Personal Privacy (PP)

Your message couldn't be delivered. The Domain Name System (DNS) reported that the recipient's domain does not exist.

Contact the recipient by some other means (by phone, for example) and ask them to tell their email admin that it appears that their domain isn't properly registered at their domain registrar. Give them the error details shown below. It's likely that the recipient's email admin is the only one who can fix this problem.

For more information and tips to fix this issue see this article:
https://go.microsoft.com/fwlink/?LinkId=389361.

Diagnostic information for administrators:

Generating server: DM6PR09MB3259.namprd09.prod.outlook.com

Ex. 6 Personal Privacy (PP)

Remote Server returned '550 5.4.310 DNS domain sbcglobal.ner does not exist [Message=InfoDomainNonexistent] [LastAttemptedServerName=sbcglobal.ner] [DM3GCC02FT009.eop-gcc02.prod.protection.outlook.com]'

Original message headers:

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=kr43TtdeugQvyUao4MjHdJPkqeazu2MPnQC6QCkVmUJILgm/xXhlZ2D3WBlRqac+/m9EVZHylJtk4rpa5izczl+
H5q2TMYflwPlJQPd23eJNJZt6G+8QzUVvnFraS2d9G7kwUFUYavZMSjR0WEbfJejfAlHZOxHXYRxa61Er2ik9Ufo+
wb5k+LBqRy5MCvoX3DF7/z461uCqI9jFXmmyJ07mkRSpBiBga8im9NztO8m9wltfLLy5OgwT5D0KUtEGvFmZIwW42
6698Q1MQtdErGhRPgFQ7uefAP/FwfpT2R+PBAmAQ40Ssog4GLLVkKrz1+W8awPSvUGB06LtH/ssGQ==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=YOMRxRDbEMQ2L5WaFxuOb4uJxBr+vS83e8iUbqJMBgU=;

b=Pdq6zN7ptKb5iOtRS2vnv4R4+vpTktGqLElUT8TaJKcWT3v4kp/z84Q791GDCoyYKph+J9SNdc6f5YHllMGpuxU
vmHXn/+kAyrIltg+UwAybs+bvgSLZlcTT7q2ErchOICjDCeBhqrenvQnPvovQH4pzOWJ/sQAVfnjzbNhhCVjpakrw
2MdY8JsgquCkq66WArM7MmJHjn0091TXtDrp3FObevb38QMBVo+UpPyaAgUesOeVfqb5//aih8+4obcarEdZwymSG
A/Zzh2xrE4uxanCP5YAGnfH5Hg3chuWdhUTm/kVpqVRlF8m3/U2N/fl9+DyGAtCbrOUUUX+Z3JPXw==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=YOMRxRDbEMQ2L5WaFxuOb4uJxBr+vS83e8iUbqJMBgU=;

b=QSLFlnUpMGl9sonTtOygTbzgTznAyPwMn2EvtZT9P/54UHKgBnsLpBKMKoIdaVpNKaMlf9G61QCaSbVgTLOMX53
vAgf91QEfZLez4e6PxsJCQpP7VDAY6ibQRJpuKZjR+PcA04HnMmmqBeKq0ML1CLeqFsdM7uwtjSH9rnfTUp8=
Received: from DM6PR09MB4076.namprd09.prod.outlook.com (10.141.167.74) by
 DM6PR09MB3259.namprd09.prod.outlook.com (20.178.3.147) with Microsoft SMTP
 Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id
 15.20.2263.26; Wed, 18 Sep 2019 22:07:58 +0000
Received: from DM6PR09MB4076.namprd09.prod.outlook.com
 ([fe80::9839:cd8:2688:2341]) by DM6PR09MB4076.namprd09.prod.outlook.com
 ([fe80::9839:cd8:2688:2341%3]) with mapi id 15.20.2284.009; Wed, 18 Sep 2019
 22:07:58 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA announcing public comment period for updated draft Underground
 Injection Control permits for the proposed Dewey-Burdock uranium recovery
 site near Edgemont, South Dakota
Thread-Topic: EPA announcing public comment period for updated draft
 Underground Injection Control permits for the proposed Dewey-Burdock uranium
 recovery site near Edgemont, South Dakota
Thread-Index: AdVubUvBPJ8cglZ9RqeBsbYKJAeGrw==
Date: Wed, 18 Sep 2019 22:07:58 +0000
Message-ID:
 <DM6PR09MB40763585077184ECBF908C5FF48E0@DM6PR09MB4076.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
authentication-results: spf=none (sender IP is)
 smtp.mailfrom=Robinson.Valois@epa.gov;
x-originating-ip: [24.3.243.57]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: a3d0b3b8-180f-4ede-c46c-08d73c84aa47
x-microsoft-antispam:
BCL:0;PCL:0;RULEID:(2390118)(7020095)(4652040)(8989299)(4534185)(4627221)(20170303113308l
)(201702281549075)(8990200)(5600167)(711020)(4605104)(1401327)(201705260328)(49563074)(7
193020);SRVR:DM6PR09MB3259;
x-ms-traffictypediagnostic: DM6PR09MB3259:
x-ms-exchange-purlcount: 2
x-microsoft-antispam-prvs:
<DM6PR09MB325972FD9F22E29F5CB534E1F48E0@DM6PR09MB3259.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:7691;

x-forefront-prvs: 01644DCF4A
x-forefront-antispam-report:
SFV:NSPM;SFS:(10019020)(346002)(376002)(136003)(396003)(366004)(39860400002)(189003)(199004)(37874003)(102836004)(6506007)(236005)(7336002)(394002)(5489002)(81156014)(316002)(9676002)(256004)(86362001)(9686003)(486006)(790700001)(1565050001)(861006)(55016002)(14454004)(5024004)(8936002)(81166006)(242040007)(66946007)(66476007)(6116002)(7416002)(7366002)(76116006)(7406005)(7436002)(3365002)(66576009)(66556008)(64756008)(66446009)(19627405001)(6306002)(2906002)(7110500001)(10998005)(7276002)(606006)(733005)(478600001)(6568605)(66066001)(99936001)(6436002)(476003)(7736002)(1444005)(5660300002)(88732003)(25786009)(1671002)(186003)(99286004)(76576003)(7696005)(8912003)(881003)(71200400001)(52536014)(71190400001)(26005)(966005);DIR:OUT;SFP:1102;SCL:1;SRVR:DM6PR09MB3259;H:DM6PR09MB4076.namprd09.prod.outlook.com;FPR:;SPF:None;LANG:en;PTR:InfoNoRecords;MX:1;A:1;
received-spf: None (protection.outlook.com: epa.gov does not designate
 permitted sender hosts)
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam-message-info:
O9+BrlItd3TmprCOXgmrcpxPiPMbs8XyFJYAhiRltIbHT2yt8Yvsr90fmwaPs4BBPDTaPCoESgVfvN/nvmylTBzIz
sppn0dBWAuzblyZJGMwXZCLcjKlY3xu2UIkOUV9B1VaSEOut/o5LFoAKDUsl38aG0c5cv4UaoDbv1pU/cv5QjeF9/
sNknClzUFB0tJKnWSW83eifC+8YncEKkFP3j9hV5IX3DTYCAl9mZ/XWrYqDcovwgxVAlWqKaKPLLLX8cZMd297MTa
uAS9WWiMSDLF6pHppNhgVkATt9e0bIzMnQRlFVe06ZDHDAVOBtpc9hnk+C+ZcCsVs2KtdCGSR5mzKiAw4MFPgkk9E
KlYI94J96BOYtDXK3x4d2DC4M5pdm4gu2EMVkBktFUmmneRnxh6OK6fOD1ACdVVy/JJ5vRw=
x-ms-exchange-transport-forked: True
Content-Type: multipart/mixed;
        boundary="_006_DM6PR09MB40763585077184ECBF908C5FF48E0DM6PR09MB4076namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-Network-Message-Id: a3d0b3b8-180f-4ede-c46c-08d73c84aa47
X-MS-Exchange-CrossTenant-originalarrivaltime: 18 Sep 2019 22:07:58.2966
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
7MDO/OVxS4jokh0UBr8+ykPdP6DyxBlKo5K37MBB4KPcsPKz3IEdlpHmsTyi6GZKeavMzbkehCeTA9ESznlGsg==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB3259